

ANCHOR

FENCE BASES

A NEW LEVEL OF FENCE STABILITY

WHERE SAFETY MEETS PROVEN VALUE



TECHNICAL PRODUCT GUIDE

SONCOTM
SAFETY MARKETPLACE

CONTENTS

WELCOME	03
ANCHOR STAND	04
FEATURES	05
DIMENSIONS & WEIGHT	06
WIND RESISTANCE	07
WIND DATA SCALE SPECIFICATIONS	08
INSPECTION & MAINTENANCE	09
INSTALLATION & SAFE HANDLING	10
SPARES	11
RECYCLABILITY	11
ANCHOR WEIGHT	12
FEATURES	13
DIMENSIONS & WEIGHT	14
WIND RESISTANCE	15
WIND DATA SCALE SPECIFICATIONS	16
INSPECTION & MAINTENANCE	17
INSTALLATION & SAFE HANDLING	18
RECYCLABILITY	18
ANCHOR BLOCK	19
FEATURES	20
DIMENSIONS & WEIGHT	21
INSPECTION & MAINTENANCE	22
SPARES	23
CONCLUSION	24





ANCHOR FENCE BASE FAMILY: PRODUCT GUIDE

At SONCO, we make it easy to secure temp fencing and reinforce your perimeter. Minimize tripping, reduce asset damage, and avoid legal pitfalls with our field-tested fence stabilizers.

Introducing the Anchor Fence Base Family:

A safe, practical answer to everyday fencing challenges. Engineered to replace conventional fence stands, these durable, anti-trip ballasts are vital in advancing industry safety.

With proper installation and maintenance, your Anchor Stand, Anchor Weight or Anchor Block will last for years. Before deploying your new **temp fence base**, optimize its use and value by reviewing this user manual.

And for more breakthrough temp fence solutions, visit [**SONCO online**](https://www.sonco.com).






ANCHOR STAND FENCE BASE

Preferred by Fence Stability Experts

SONCO's Anchor Stand fence base outperforms traditional metal stands. Its structural integrity lasts without needing costly or time-consuming maintenance or replacements. With its low-profile and high-visibility design, the anchor stand allows businesses to allocate their resources more effectively, thereby enhancing profitability.



**ANCHOR
STAND**



Safe & Easy To Use

- Open steel risers allow water to pass through.
- Low-profile design is made for fence panels with a 1 3/8" post.
- Stackable for ease of storage and transport.
- Ballast with Anchor Weight to create a semi-permanent perimeter.




Robust Construction

- Durable base with a removable fiberglass backbone for added strength.
- Easy to repair if warranted. Risers can be replaced manually — without tools.
- Constructed from HDPE with an operating temperature of +50°C / 120°F to -30°C / -20°F.



Extras

- If required, spare parts are available to extend the life of your Anchor Stand.
- Customize with customer logos and branding. (MOQs apply.)



Why Choose The Anchor Stand Fence Base?

Where tube stands fail from metal kneading or corrosion, the Anchor Stand is a durable and highly aesthetic fence base. Improving jobsite safety with its hi-vis, low-profile design, Anchor Stand ensures stability and visibility, offering a more secure alternative to traditional metal tube stands. Reduce trips and falls and limit unwelcome legal risks by replacing metal fence bases with this heavy-duty, recyclable alternative.



Weight

Anchor Stand: 3kg / 7lb



Part Name

Anchor Stand



Product Code

0614

1



2



3



4



Description

Wind Speeds

20mph 40mph 60mph

1 Anchor Stand (or Metal Tube Stand)



2 Anchor Stand (or Metal Tube Stand) + 30KGS Sandbags



3 Anchor Stand (or Metal Tube Stand) + 1 Anchor Weight Base



4 Anchor Stand (or Metal Tube Stand) + 3 Anchor Weight Base





Wind Classifications for BS8442

Wind Class	Meters per second (m/s)	Mile per hour (mph)
Class A	26.3	59
Class B	17.6	39.6
Class C	8.7	19.6

Classification and Labelling of Units

The manufacturer shall indicate the mass ballast to be added to each barrier assembly to resist a specified class of wind speed, depending upon the barrier configuration and the level of wind resistance chosen.


Beaufort Scale, Wind Force or Gale Force

Force 2	8-12mph	Gentle breeze, leaves and small twigs in constant motion, wind extends light flag
Force 3	13-18mph	Light breeze making small branches move, raises dust, leaves and paper
Force 5	19-24mph	Fresh breeze, small trees in leaf begin to sway, crested wavelets form on inland water
Force 6	25-31mph	Strong breeze, large branches in motion, whistling heard in telegraph wires, umbrellas difficult
Force 7	32-38mph	Near gale, walking noticeably hampered
Force 8	39-46mph	Gale, branches break, walking very difficult
Force 9	47-54mph	Severe gale, slates blown off roofs
Force 10	55-63mph	Storm, trees up rooted

Inspection & Maintenance

Care for your Anchor Stand fence base by following the guidance below:

1




Inspect your Anchor Stand for signs of damage between each installation.

2



Clean the product between every use to remove debris.

3



When storing and transporting Anchor Stands, stack them carefully on top of one another.



Inspect for Signs of Damage

- Cracked areas indicate damage from improper use.
- The product should lie flat on the ground, depending on ground conditions. A visibly warped product indicates damage from improper use.
- If a product is damaged, avoid future use and recycle it properly.



Product Maintenance

The Anchor Stand can be maintained with spare parts available for purchase.




Installation & Safe Handling

Before installing your Anchor Stand fence base:

1. Complete a site-specific risk assessment at project start.
2. Inspect the Anchor Stand for damage.
3. Do not use cracked or otherwise damaged products. Instead, recycle them properly.

1




Assess ground condition to ensure it is suitable for fencing.

2



One person can lift the Anchor Stand into position.

3




Place Anchor Stand on the ground.

4



Place metal fence onto Anchor Stand's metal risers.

5




Repeat process until entire perimeter is complete.

6



Place Anchor Weight on top of Anchor Stand (or metal tube stand) for increased ballasting.

Parts can be disassembled, enabling elements to be replaced in the unlikely event of damage.



SPARES

	Part Name	Material	Product Code
A	AnchorStand	Safety Orange	0614
B	AnchorStand Metalwork	Steel	0613
C	AnchorStand Pultrusion	Fiberglass	0612

ANCHOR STAND RECYCLABILITY



Materials

The Anchor Stand is made from high-density polyethylene and steel, which are fully recyclable.


Contact SONCO to return end-of-life plastics.



ANCHOR WEIGHT FENCE BASE


The Alternative to Messy Sandbag

SONCO's Anchor Weight fence base outlasts sandbags and fortifies any perimeter. A sturdy and sustainable alternative to sand-filled ballasts, this low-profile, high-visibility fence base is easy to transport, reduces fence toppling, and minimizes liability.



**ANCHOR
WEIGHT**

**HAND HOLDS FOR EASY
INSTALLATION & TRANSPORTATION**



Safe & Easy To Use

- Carry multiple Anchor Weights at once with the product's built-in handles.
- Each Anchor Weight installs quickly and stacks for easy storage and transportation.
- Reduce tripping with the product's low-profile, high-visibility edges.



Robust Construction


- The Anchor Weight fence base fits securely over the Anchor Stand (and most metal tube stands) to keep fence panels upright.
- Stack multiple weights when heavy winds warrant more ballast.
- The Anchor Weight reduces falling-fence callouts.
- Non-metal construction prevents theft and increases durability.




Feature Extras

- **Recyclability:** Anchor Weight is a closed-loop recycling product. Constructed from recycled PVC, this fence base is fully recyclable at end of lifespan.
- **Customization:** Offered in custom colors with imprinted branding or logos. (MOQs apply).
- **Zip Tie Point:** secures the base to the fence, preventing theft and asset loss.

OVERALL LENGTH 23.6"



HEIGHT
3.14"



Why Choose The Anchor Weight Fence Base?

The Anchor Weight is a high-visibility ballast for temporary fencing. Replace traditional sandbags with this sustainable, no-mess solution. Unlike sandbags, the recycled PVC fence support is sturdy and reusable. Deploy time and time again for fencing durability.



Weight

Anchor Weight: 30lbs/13.6kg



Part Name

Anchor Weight



Product Code

0203

1**2****3****4**

Wind Resistance

Anchor Stands, Anchor Weights and temporary fence panels can be configured to withstand varying wind speeds, as shown below.

Description	Wind Speeds		
	20mph	40mph	60mph
1 Anchor Stand (or Metal Tube Stand)	✓		
2 Anchor Stand (or Metal Tube Stand) + 30KGS Sandbags	✓	✓	
3 Anchor Stand (or Metal Tube Stand) + 1 Anchor Weight Base	✓	✓	
4 Anchor Stand (or Metal Tube Stand) + 3 Anchor Weight Bases	✓	✓	✓

Wind Classifications For Bs8442

Wind Class	Meters per second (m/s)	Mile per hour (mph)
Class A	26.3	59
Class B	17.6	39.6
Class C	8.7	19.6

Classification and Labelling of Units

The manufacturer shall indicate the mass ballast to be added to each barrier assembly to resist a specified class of wind speed, depending upon the barrier configuration and the level of wind resistance chosen.


Beaufort Scale, Wind Force or Gale Force

Force 2	8-12mph	Gentle breeze, leaves and small twigs in constant motion, wind extends light flag
Force 3	13-18mph	Light breeze making small branches move, raises dust, leaves and paper
Force 5	19-24mph	Fresh breeze, small trees in leaf begin to sway, crested wavelets form on inland water
Force 6	25-31mph	Strong breeze, large branches in motion, whistling heard in telegraph wires, umbrellas difficult
Force 7	32-38mph	Near gale, walking noticeably hampered
Force 8	39-46mph	Gale, branches break, walking very difficult
Force 9	47-54mph	Severe gale, slates blown off roofs
Force 10	55-63mph	Storm, trees up rooted

Inspection & Maintenance

Care for your Anchor Weight by following the guidance below:

1



Inspect your Anchor Weight for signs of damage between installations.

2



Clean the product with every use to remove debris.

3



When storing and transporting Anchor Weights, stack them carefully on top of one another.



Inspect for Signs of Damage

- Cracked areas indicate damage from improper use.
- The product should lie flat on the ground, depending on ground conditions. A visibly warped product indicates damage from improper use.
- If product is damaged, avoid future use and recycle it proper




Installation & Safe Handling

Before installing your Anchor Weight:


1. Complete a site-specific risk assessment at project start.
2. Inspect the Anchor Weight for damage.
3. Do not use cracked or otherwise damaged products. Instead, recycle them properly.

1




Assess ground condition to ensure it is suitable for fencing.

2



Choose between Anchor Stand and metal tube stand to secure fence panels.

3



Repeat process until entire perimeter is complete.

4



Place Anchor Weight on Anchor Stand or metal tube stand for increased ballasting.



Eco-Friendly Materials

The Anchor Weight fence base is constructed from recycled PVC and HDPE and is 100% recyclable. Contact SONCO to return end-of-life products.



ANCHOR BLOCK FENCE BASE


Say Goodbye to Unreliable Concrete Blocks

SONCO's Anchor Block serves as both a stand and base weight, offering a high-visibility, safe alternative to traditional concrete blocks. This 2-in-1 solution enhances temporary fence stability and security, reducing liability and protecting jobsites without additional purchases, streamlining fence setup and improving safety.



ANCHOR
BLOCK

**BUILT-IN HANDLES FOR EASY
HANDLING & TRANSPORTATION**



**HIGH-VISIBILITY,
UV-RESISTANT
COLOR**

**CUSTOMIZABLE
WITH CORPORATE
LOGO OR COLOR**



Safe & Easy To Use

- Carry multiple Anchor Blocks at once using the product's built-in handles.
- Anchor Blocks install quickly and stack for easy handling and storage.
- Reduce tripping with the product's compact profile, hi-vis ends and rounded edges.



Robust Construction


The Anchor Block fence base is a proven alternative to concrete block weights. Constructed from a tough, shock-resistant thermoplastic compound, this ballast device is field-tested for performance and durability. Stabilize and support temporary fence panels — and protect panels from toppling in heavy wind.



Feature Extras

- **Recyclability:** Anchor Block is a closed-loop recycling product. Constructed from recycled PVC, this fence base is fully recyclable at end of lifespan.
- **Customization:** Offered in custom colors with imprinted branding or logos. [MOQs apply].
- To further stabilize a fenceline in a windy area or if you are hanging privacy screen, use the Anchor Block and Angle Brace Stabilizer System





Why Choose The Anchor Block Fence Base?

The Anchor Block fence base is a hi-vis temp fence ballast, equivalent to the use of 20 concrete blocks. Moreover, this type of fence base doesn't break easily compared to concrete blocks.

Engineered to replace bulky, breakable concrete blocks, this heavy-duty PVC stabilizer minimizes tripping and fence-panel toppling. Anchor Blocks withstand years of heavy use and weather and are fully recyclable at lifespan end.



Weight

Anchor Block: 53lb/24kg



Part Name

Anchor Block




Product Code

0253

Inspection & Maintenance

Care for your Anchor Block product by following the guidance below.

1



Inspect each product for signs of damage between every installation.

2



Clean product between every use to remove debris.

3



Safely stack multiple Anchor Blocks when storing or transporting.



Inspect for Signs of Damage

- Cracked areas indicate damage from improper use.
- The product should lie flat on the ground, depending on ground conditions. A visibly warped product indicates damage from improper use.
- If product is damaged, avoid future use and recycle it properly.

Spare part: Hi-vis and plastic ends that perfectly fit the anchor block increasing visibility to avoid tripping hazard.



ANCHOR BLOCK RECYCLABILITY

**Materials**

OxStand is made from HDPE and steel which are fully recyclable.

Contact SONCO to return end-of-life plastics.



Thank you for your interest in the Anchor Fence Base Family.
Learn more about these temporary fence stabilizers, or connect with a specialist to request an estimate.

ANCHOR
FENCE BASES

SONCO™

SAFETY MARKETPLACE


CONTACT INFORMATION

 soncostore.com

 (240) 335-8563

 (240) 487-2489

 sales@soncostore.com



ANCHOR
FENCE BASES