
WORK ZONESAFETY SERIES

SOLLAGE TRANSPORT FENCE RACKS

Universal fence panel transport racks for 6ft x 12ft and 6ft x 10ft chainlink fence panels.



SPECIFICATIONS

SKU	TPRACK
Sizes	6x10 = 121x79x49 - 1/4" 6x12 = 145x79x49 - 1/4"
Weight	150 lbs
Width	79 in
Material	Steel
Finish	Pre-Galvanized

SAFELY TRANSPORT UP TO 30 TEMP FENCE PANELS







GALVANIZED FINISH TO AVOID RUST AND INCREASE DURABILITY

\$88-766-2615

▼ sales@soncostore.com

www.soncostore.com



WORK ZONE SAFETY SERIES

6FT X 10FT VERSA CHAINLINK FENCE PANE

Our classic fence panel has been the industry quality standard for perimeter fencing for over 40 years.



USED BY EXPERTS Strong, reliant, and durable enough to control large crowds

fence screen for signage and

advertising


PERFECTLY CRAFTED

16 gauge steel for maximum strength and for long-term weather resistance and durability



UPRIGHTS

Extra 6 inches uprights to be used with stands or blocks



SPECIFICATIONS

SKU	SSTP7210
Length	10'
Height	6' (6"+72")
Weight	47 lbs
Main Frame	1 3/8" OD 16-gauge tube
Wire	2-1/4" 11.5 gauge chain link wire
Feet	33" x 18", 1pc 16-gauge tube
Finish	Pre-Galvanized

ACCESSORIES (OPTIONAL)



OSHA Safety Signs

Perfect for providing caution to personnel and pedestrians



"BigFoot"

Sandbag replacer designed to be used as ballast weight



Fence Screen

Suited for any construction site or area requiring debris blockage



Fence Panel Conector

Clamp with bolt to connect your temporary fence panels together

BASE TYPES



Steel Stand





Rubber Block

ck Plastic Stand

- **\$88-776-2615** | **888-776-2616**
- **1** 240-487-2489
- sales@soncostore.com
- www.soncostore.com



WORK ZONE SAFETY SERIES

6' X 12' INLINE CHAIN LINK FENCE PANEL

Our classic fence panel has been the industry quality standard for perimeter fencing for over 40 years.



USED BY EXPERTS

Strong, reliant, and durable enough to control large crowds




PERFECTLY CRAFTED

16 gauge steel for maximum strength and for long-term weather resistance and durability



FENCE GATE

Welded to the highest standards and galvanized to resist rust and corrosion, the Versa Pedestrian Gate is a longterm investment at short-term prices



SPECIFICATIONS

SKU	TP612S
Length	12'
Height	6'
Weight	45 lbs
Main Frame	1 3/8" OD 16-gauge tube
Wire	2-3/8" 12.5 gauge chain link wire
Feet	33" x 18", 1pc 16-gauge tube
Finish	Pre-Galvanized

ACCESSORIES (OPTIONAL)



OSHA Safety Signs

Perfect for providing caution to personnel and pedestrians



"BigFoot"

Sandbag replacer designed to be used as ballast weight



Fence Screen

Suited for any construction site or area requiring debris blockage

Fence Panel Conector

Clamp with bolt to connect your temporary fence panels together

BASE TYPES



Steel Stand







\$88-776-2615 | **888-776-2616**

1 240-487-2489

■ sales@soncostore.com

www.soncostore.com

